

The KAN logo, featuring the word "KAN" in a bold, sans-serif font, with a stylized white arch above it, all set against a dark blue background.A circular logo with the text "O-RING" at the top, "FREE" in large bold letters across the center, and "UltraLine" at the bottom. The logo is set against a background of horizontal lines.

ISO 9001



1

Paindlik materjalivalik

PPSU- ja vaskliitmikud sobivad 3 torutüübi jaoks: PE-x ja PE-RT (UltraLine PE), PE-RT/Al/PE-RT (UltraLine AL)



8

Lihtne paigaldada, kindel tulemus


lihtsad tööriistad, kerge tuvastada kokkusurumata liitmikke



7

Piirik

kaitseb alumiiniumikihti



2

Sümmeetriline pealelükatav hülss


paigaldatav mõlemas suunas



3

Optimeeritud voolamistingimused

läbimõõdu sujuv ahenemine, kitsenemine



4

Paigaldusasend 270°

unikaalne konstruktsioon võimaldab tööriistadega ligipääsu 270° ulatuses ja tagab mugava paigaldamise isegi kõige raskema juurdepääsuga kohtades



5

Rõngastihendit ei ole vaja


täiendava tihendita: liitmiku profiil tagab 100% lekkekindla ja vastupidava ühenduse



6

Tagatud töökindlus

erakordne vastupidavus, testitud ekstreemsetes tingimustes



SYSTEM KAN-therm UltraLine

see on **uuenduslik ja unikaalne** tehniline lahendus torusüsteemide turul. Ette nähtud **siseruumide** standardsete kütte- ja tarbeveetorustike jaoks, ent võib kasutada ka **erisüsteemides**, näiteks suruõhutorustike korral.


**3 tüüpi toru, 2 tüüpi liitmikud,
1 moodne disain!**

SYSTEM KAN-therm UltraLine PE

Torutüüp	Läbimõõt	Avardi
PE-X, PE-RT	14x2	UltraLine PE 14
	16x2,2	UltraLine PE 16
	20x2,8	UltraLine PE 20
PE-RT/Al/PE-RT	25x2,5	UltraLine AL 25
	32x3	UltraLine AL 32

SYSTEM KAN-therm UltraLine AL

Torutüüp	Läbimõõt	Avardi
PE-RT/Al/PE-RT	14x2	UltraLine AL 14
	16x2,2	UltraLine AL 16
	20x2,8	UltraLine AL 20
	25x2,5	UltraLine AL 25
	32x3	UltraLine AL 32



UltraLine AL * PE-RT/AL/PE-RT

AL * PE-RT/AL/PE-RT



PE-X * UltraLine

T * UltraLine PE



PE-RT * UltraLine

KAN Sp. z o.o.
tel. +372 (55) 56 76 56
kontakt: alebedev@kan-therm.com

www.kan-therm.com

EE 20/04

ISO 9001